

# Capital Gliders



## 32151G20 GLIDER, 20" SEAT, UPH ARM

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 56 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	3987	4062	4133	4223	4373	4520	4670	4816	4966	MATERIAL: - MOIS. BARR: Included
2	4085	4160	4231	4321	4471	4618	4768	4914	5064	
3	4183	4258	4329	4419	4569	4716	4866	5012	5162	
4	4282	4357	4428	4518	4668	4815	4965	5111	5261	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32151G22 GLIDER, 22" SEAT, UPH ARM

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 59 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4156	4231	4302	4392	4542	4689	4839	4985	5135	MATERIAL: - MOIS. BARR: Included
2	4258	4333	4404	4494	4644	4791	4941	5087	5237	
3	4361	4436	4507	4597	4747	4894	5044	5190	5340	
4	4463	4538	4609	4699	4849	4996	5146	5292	5442	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32151G24 GLIDER, 24" SEAT, UPH ARM

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 62 lb COM: 4 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4328	4408	4484	4580	4740	4896	5056	5212	5372	MATERIAL: - MOIS. BARR: Included
2	4435	4515	4591	4687	4847	5003	5163	5319	5479	
3	4541	4621	4697	4793	4953	5109	5269	5425	5585	
4	4648	4728	4804	4900	5060	5216	5376	5532	5692	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



## 32651G20 GLIDER, 20" SEAT, UPH ARM, URETHANE CAP

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 58 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4320	4395	4466	4556	4706	4853	5003	5149	5299	MATERIAL: - MOIS. BARR: Included
2	4426	4501	4572	4662	4812	4959	5109	5255	5405	
3	4533	4608	4679	4769	4919	5066	5216	5362	5512	
4	4640	4715	4786	4876	5026	5173	5323	5469	5619	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32651G22 GLIDER, 22" SEAT, UPH ARM, URETHANE CAP

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 61 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4486	4561	4632	4722	4872	5019	5169	5315	5465	MATERIAL: - MOIS. BARR: Included
2	4597	4672	4743	4833	4983	5130	5280	5426	5576	
3	4707	4782	4853	4943	5093	5240	5390	5536	5686	
4	4818	4893	4964	5054	5204	5351	5501	5647	5797	


Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32651G24 GLIDER, 24" SEAT, UPH ARM, URETHANE CAP

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 64 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4630	4705	4776	4866	5016	5163	5313	5459	5609	MATERIAL: - MOIS. BARR: Included
2	4744	4819	4890	4980	5130	5277	5427	5573	5723	
3	4858	4933	5004	5094	5244	5391	5541	5687	5837	
4	4973	5048	5119	5209	5359	5506	5656	5802	5952	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



GR- Glider range from forward point to rear point is 41"

CR- Clearance required when placed against a wall is 7"

Specify:

- Product Number
- Urethane Cap Color
- Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.

# Capital Gliders



## 32151LG20 GLIDER, 20" SEAT, UPH ARM, LOCKING MECHANISM

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 58 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4262	4337	4408	4498	4648	4795	4945	5091	5241	MATERIAL: -
2	4367	4442	4513	4603	4753	4900	5050	5196	5346	MOIS. BARR: Included
3	4472	4547	4618	4708	4858	5005	5155	5301	5451	
4	4577	4652	4723	4813	4963	5110	5260	5406	5556	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32151LG22 GLIDER, 22" SEAT, UPH ARM, LOCKING MECHANISM

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 61 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4442	4517	4588	4678	4828	4975	5125	5271	5421	MATERIAL: -
2	4552	4627	4698	4788	4938	5085	5235	5381	5531	MOIS. BARR: Included
3	4661	4736	4807	4897	5047	5194	5344	5490	5640	
4	4771	4846	4917	5007	5157	5304	5454	5600	5750	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32151LG24 GLIDER, 24" SEAT, UPH ARM, LOCKING MECHANISM

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 64 lb COM: 4 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4607	4687	4763	4859	5019	5175	5335	5491	5651	MATERIAL: -
2	4721	4801	4877	4973	5133	5289	5449	5605	5765	MOIS. BARR: Included
3	4834	4914	4990	5086	5246	5402	5562	5718	5878	
4	4948	5028	5104	5200	5360	5516	5676	5832	5992	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



## 32651LG20 GLIDER, 20" SEAT, UPH ARM, URETHANE CAP, LOCKING MECHANISM

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 58 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4605	4680	4751	4841	4991	5138	5288	5434	5584	MATERIAL: -
2	4719	4794	4865	4955	5105	5252	5402	5548	5698	MOIS. BARR: Included
3	4832	4907	4978	5068	5218	5365	5515	5661	5811	
4	4946	5021	5092	5182	5332	5479	5629	5775	5925	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32651LG22 GLIDER, 22" SEAT, UPH ARM, URETHANE CAP, LOCKING MECHANISM

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 61 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4757	4832	4903	4993	5143	5290	5440	5586	5736	MATERIAL: -
2	4874	4949	5020	5110	5260	5407	5557	5703	5853	MOIS. BARR: Included
3	4992	5067	5138	5228	5378	5525	5675	5821	5971	
4	5109	5184	5255	5345	5495	5642	5792	5938	6088	


Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

## 32651LG24 GLIDER, 24" SEAT, UPH ARM, URETHANE CAP, LOCKING MECHANISM

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 64 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4899	4974	5045	5135	5285	5432	5582	5728	5878	MATERIAL: -
2	5020	5095	5166	5256	5406	5553	5703	5849	5999	MOIS. BARR: Included
3	5141	5216	5287	5377	5527	5674	5824	5970	6120	
4	5262	5337	5408	5498	5648	5795	5945	6091	6241	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



GR- Glider range from forward point to rear point is 41"

CR- Clearance required when placed against a wall is 7"

### Specify:

- Product Number
- Urethane Cap Color
- Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.

# Capital Sleep Chairs



## 32841 SLEEP CHAIR

W: 30" D: 33.5" H: 33.25" SW: 24" SD: 21" SH: 18" AH: 25" WT: 110 lb COM: 5.25 yd WT CAP: 400 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	6243	6348	6448	6574	6784	6989	7199	7403	7613	MATERIAL: Maple MOIS. BARR: Included
2	6397	6502	6602	6728	6938	7143	7353	7557	7767	
3	6551	6656	6756	6882	7092	7297	7507	7711	7921	
4	6705	6810	6910	7036	7246	7451	7661	7865	8075	



## 32W841 SLEEP CHAIR, WIDE

W: 36" D: 33.5" H: 33.25" SW: 30" SD: 21" SH: 18" AH: 25" WT: 128 lb COM: 6 yd WT CAP: 400 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	6745	6865	6979	7123	7363	7597	7837	8071	8311	MATERIAL: Maple MOIS. BARR: Included
2	6911	7031	7145	7289	7529	7763	8003	8237	8477	
3	7077	7197	7311	7455	7695	7929	8169	8403	8643	
4	7244	7364	7478	7622	7862	8096	8336	8570	8810	



## 32841U SLEEP CHAIR, URETHANE CAP

W: 30" D: 33.5" H: 33.25" SW: 24" SD: 21" SH: 18" AH: 25" WT: 110 lb COM: 5.25 yd WT CAP: 400 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	6578	6683	6783	6909	7119	7324	7534	7738	7948	MATERIAL: Maple MOIS. BARR: Included
2	6740	6845	6945	7071	7281	7486	7696	7900	8110	
3	6903	7008	7108	7234	7444	7649	7859	8063	8273	
4	7065	7170	7270	7396	7606	7811	8021	8225	8435	

Urethane arm caps are available in black, sable or dove.



## 32W841U SLEEP CHAIR, WIDE, URETHANE CAP

W: 36" D: 33.5" H: 33.25" SW: 30" SD: 21" SH: 18" AH: 25" WT: 128 lb COM: 6 yd WT CAP: 400 lb


ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	7080	7200	7314	7458	7698	7932	8172	8406	8646	MATERIAL: Maple MOIS. BARR: Included
2	7255	7375	7489	7633	7873	8107	8347	8581	8821	
3	7429	7549	7663	7807	8047	8281	8521	8755	8995	
4	7604	7724	7838	7982	8222	8456	8696	8930	9170	

Urethane arm caps are available in black, sable or dove.

### Accessories

#### 32800-LC CASTERS

\$508 WT: 5 lb



SS- Sleep surface 74"

CR- Clearance required to open sleep surface when placed against a wall is 10"

Specify:

- Product Number
- Wood Finish
- Urethane Cap Color
- Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.