

Capital Gliders



32151G20 GLIDER, 20" SEAT, UPH ARM

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 56 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4144	4219	4290	4380	4530	4677	4827	4973	5123	MATERIAL: - MOIS. BARR: Included
2	4246	4321	4392	4482	4632	4779	4929	5075	5225	
3	4348	4423	4494	4584	4734	4881	5031	5177	5327	
4	4450	4525	4596	4686	4836	4983	5133	5279	5429	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32151G22 GLIDER, 22" SEAT, UPH ARM

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 59 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4320	4395	4466	4556	4706	4853	5003	5149	5299	MATERIAL: - MOIS. BARR: Included
2	4426	4501	4572	4662	4812	4959	5109	5255	5405	
3	4533	4608	4679	4769	4919	5066	5216	5362	5512	
4	4640	4715	4786	4876	5026	5173	5323	5469	5619	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32151G24 GLIDER, 24" SEAT, UPH ARM

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 62 lb COM: 4 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4499	4579	4655	4751	4911	5067	5227	5383	5543	MATERIAL: - MOIS. BARR: Included
2	4610	4690	4766	4862	5022	5178	5338	5494	5654	
3	4721	4801	4877	4973	5133	5289	5449	5605	5765	
4	4832	4912	4988	5084	5244	5400	5560	5716	5876	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



32351G20 GLIDER, 20" SEAT, UPH ARM, SOLID SURFACE CAP

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 58 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4720	4795	4866	4956	5106	5253	5403	5549	5699	MATERIAL: - MOIS. BARR: Included
2	4836	4911	4982	5072	5222	5369	5519	5665	5815	
3	4953	5028	5099	5189	5339	5486	5636	5782	5932	
4	5070	5145	5216	5306	5456	5603	5753	5899	6049	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32351G22 GLIDER, 22" SEAT, UPH ARM, SOLID SURFACE CAP

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 61 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4886	4961	5032	5122	5272	5419	5569	5715	5865	MATERIAL: - MOIS. BARR: Included
2	5007	5082	5153	5243	5393	5540	5690	5836	5986	
3	5127	5202	5273	5363	5513	5660	5810	5956	6106	
4	5248	5323	5394	5484	5634	5781	5931	6077	6227	


The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32351G24 GLIDER, 24" SEAT, UPH ARM, SOLID SURFACE CAP

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 64 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	5030	5105	5176	5266	5416	5563	5713	5859	6009	MATERIAL: - MOIS. BARR: Included
2	5154	5229	5300	5390	5540	5687	5837	5983	6133	
3	5278	5353	5424	5514	5664	5811	5961	6107	6257	
4	5403	5478	5549	5639	5789	5936	6086	6232	6382	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



GR- Glider range from forward point to rear point is 41"

CR- Clearance required when placed against a wall is 7"

Specify:

- ☐ Product Number
- ☐ Solid Surface Cap Color
- ☐ Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.

Capital Gliders



32651G20 GLIDER, 20" SEAT, UPH ARM, URETHANE CAP

W: 27.5"	D: 30"	H: 42"	SW: 20"	SD: 19.5"	SH: 18.5"	AH: 24.75"	WT: 58 lb	COM: 3.75 yd	WT CAP: 350 lb	
ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4490	4565	4636	4726	4876	5023	5173	5319	5469	MATERIAL: -
2	4601	4676	4747	4837	4987	5134	5284	5430	5580	MOIS. BARR: Included
3	4712	4787	4858	4948	5098	5245	5395	5541	5691	
4	4822	4897	4968	5058	5208	5355	5505	5651	5801	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32651G22 GLIDER, 22" SEAT, UPH ARM, URETHANE CAP

W: 29.5"		D: 30"		H: 42"		SW: 22"		SD: 19.5"		SH: 18.5"		AH: 24.75"		WT: 61 lb		COM: 3.75 yd		WT CAP: 350 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		4663		4738		4809		4899		5049		5196		5346		5492		5642		MATERIAL: -	
2		4778		4853		4924		5014		5164		5311		5461		5607		5757		MOIS. BARR: Included	
3		4893		4968		5039		5129		5279		5426		5576		5722		5872			
4		5008		5083		5154		5244		5394		5541		5691		5837		5987			

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32651G24 GLIDER, 24" SEAT, UPH ARM, URETHANE CAP

W: 31.5"		D: 30"		H: 42"		SW: 24"		SD: 19.5"		SH: 18.5"		AH: 24.75"		WT: 64 lb		COM: 3.75 yd		WT CAP: 350 lb	
ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION									
1	4813	4888	4959	5049	5199	5346	5496	5642	5792	MATERIAL: - MOIS. BARR: Included									
2	4932	5007	5078	5168	5318	5465	5615	5761	5911										
3	5051	5126	5197	5287	5437	5584	5734	5880	6030										
4	5169	5244	5315	5405	5555	5702	5852	5998	6148										

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



32151LG20 GLIDER, 20" SEAT, UPH ARM, LOCKING MECHANISM

W: 27.5"		D: 30"		H: 42"		SW: 20"		SD: 19.5"		SH: 18.5"		AH: 24.75"		WT: 58 lb		COM: 3.75 yd		WT CAP: 350 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		4430		4505		4576		4666		4816		4963		5113		5259		5409		MATERIAL: -	
2		4539		4614		4685		4775		4925		5072		5222		5368		5518		MOIS. BARR: Included	
3		4648		4723		4794		4884		5034		5181		5331		5477		5627			
4		4758		4833		4904		4994		5144		5291		5441		5587		5737			

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32151LG22 GLIDER, 22" SEAT, UPH ARM, LOCKING MECHANISM


W: 29.5"		D: 30"		H: 42"		SW: 22"		SD: 19.5"		SH: 18.5"		AH: 24.75"		WT: 61 lb		COM: 3.75 yd		WT CAP: 350 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		4617		4692		4763		4853		5003		5150		5300		5446		5596		MATERIAL: -	
2		4731		4806		4877		4967		5117		5264		5414		5560		5710		MOIS. BARR: Included	
3		4845		4920		4991		5081		5231		5378		5528		5674		5824			
4		4959		5034		5105		5195		5345		5492		5642		5788		5938			

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32151LG24 GLIDER, 24" SEAT, UPH ARM, LOCKING MECHANISM

W: 31.5"		D: 30"		H: 42"		SW: 24"		SD: 19.5"		SH: 18.5"		AH: 24.75"		WT: 64 lb		COM: 4 yd		WT CAP: 350 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		4789		4869		4945		5041		5201		5357		5517		5673		5833		MATERIAL: -	
2		4907		4987		5063		5159		5319		5475		5635		5791		5951		MOIS. BARR: Included	
3		5025		5105		5181		5277		5437		5593		5753		5909		6069			
4		5143		5223		5299		5395		5555		5711		5871		6027		6187			

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



GR- Glider range from forward point to rear point is 41"

CR- Clearance required when placed against a wall is 7"

Specify:

☐ Product Number

☐ Urethane Cap Color

☐ Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.

Capital Gliders



32351LG20 GLIDER, 20" SEAT, UPH ARM, SOLID SURFACE CAP, LOCKING MECHANISM

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 58 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	5005	5080	5151	5241	5391	5538	5688	5834	5984	MATERIAL: - MOIS. BARR: Included
2	5129	5204	5275	5365	5515	5662	5812	5958	6108	
3	5252	5327	5398	5488	5638	5785	5935	6081	6231	
4	5376	5451	5522	5612	5762	5909	6059	6205	6355	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32351LG22 GLIDER, 22" SEAT, UPH ARM, SOLID SURFACE CAP, LOCKING MECHANISM

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 61 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	5157	5232	5303	5393	5543	5690	5840	5986	6136	MATERIAL: - MOIS. BARR: Included
2	5284	5359	5430	5520	5670	5817	5967	6113	6263	
3	5412	5487	5558	5648	5798	5945	6095	6241	6391	
4	5539	5614	5685	5775	5925	6072	6222	6368	6518	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32351LG24 GLIDER, 24" SEAT, UPH ARM, SOLID SURFACE CAP, LOCKING MECHANISM

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 64 lb COM: 4 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	5299	5374	5445	5535	5685	5832	5982	6128	6278	MATERIAL: - MOIS. BARR: Included
2	5430	5505	5576	5666	5816	5963	6113	6259	6409	
3	5561	5636	5707	5797	5947	6094	6244	6390	6540	
4	5692	5767	5838	5928	6078	6225	6375	6521	6671	

The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



32651LG20 GLIDER, 20" SEAT, UPH ARM, URETHANE CAP, LOCKING MECHANISM

W: 27.5" D: 30" H: 42" SW: 20" SD: 19.5" SH: 18.5" AH: 24.75" WT: 58 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4787	4862	4933	5023	5173	5320	5470	5616	5766	MATERIAL: - MOIS. BARR: Included
2	4905	4980	5051	5141	5291	5438	5588	5734	5884	
3	5023	5098	5169	5259	5409	5556	5706	5852	6002	
4	5142	5217	5288	5378	5528	5675	5825	5971	6121	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32651LG22 GLIDER, 22" SEAT, UPH ARM, URETHANE CAP, LOCKING MECHANISM

W: 29.5" D: 30" H: 42" SW: 22" SD: 19.5" SH: 18.5" AH: 24.75" WT: 61 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	4945	5020	5091	5181	5331	5478	5628	5774	5924	MATERIAL: - MOIS. BARR: Included
2	5067	5142	5213	5303	5453	5600	5750	5896	6046	
3	5189	5264	5335	5425	5575	5722	5872	6018	6168	
4	5311	5386	5457	5547	5697	5844	5994	6140	6290	


Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.

32651LG24 GLIDER, 24" SEAT, UPH ARM, URETHANE CAP, LOCKING MECHANISM

W: 31.5" D: 30" H: 42" SW: 24" SD: 19.5" SH: 18.5" AH: 24.75" WT: 64 lb COM: 3.75 yd WT CAP: 350 lb

ZONE	B/COM	C	D	E	F	G	H	I	J	GENERAL INFORMATION
1	5093	5168	5239	5329	5479	5626	5776	5922	6072	MATERIAL: - MOIS. BARR: Included
2	5219	5294	5365	5455	5605	5752	5902	6048	6198	
3	5345	5420	5491	5581	5731	5878	6028	6174	6324	
4	5470	5545	5616	5706	5856	6003	6153	6299	6449	

Urethane arm caps are available in black, sable or dove. The glider range from forward point to rear point is 41". A 7" clearance is required when placed against a wall.



GR- Glider range from forward point to rear point is 41"

CR- Clearance required when placed against a wall is 7"

Specify:

- ☐ Product Number
- ☐ Solid Surface Cap Color
- ☐ Urethane Cap Color
- ☐ Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.

Capital Sleep Chairs



32841 SLEEP CHAIR

W: 30"		D: 33.5"		H: 33.25		SW: 24"		SD: 21"		SH: 18"		AH: 25"		WT: 110 lb		COM: 5.25 yd		WT CAP: 400 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		6489		6594		6694		6820		7030		7235		7445		7649		7859		MATERIAL: Maple	
2		6649		6754		6854		6980		7190		7395		7605		7809		8019		MOIS. BARR: Included	
3		6809		6914		7014		7140		7350		7555		7765		7969		8179			
4		6969		7074		7174		7300		7510		7715		7925		8129		8339			



32W841 SLEEP CHAIR, WIDE

W: 36"		D: 33.5"		H: 33.25"		SW: 30"		SD: 21"		SH: 18"		AH: 25"		WT: 128 lb		COM: 6 yd		WT CAP: 400 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		7011		7131		7245		7389		7629		7863		8103		8337		8577		MATERIAL: Maple	
2		7184		7304		7418		7562		7802		8036		8276		8510		8750		MOIS. BARR: Included	
3		7357		7477		7591		7735		7975		8209		8449		8683		8923			
4		7530		7650		7764		7908		8148		8382		8622		8856		9096			



32841U SLEEP CHAIR, URETHANE CAP

W: 30"		D: 33.5"		H: 33.25"		SW: 24"		SD: 21"		SH: 18"		AH: 25"		WT: 110 lb		COM: 5.25 yd		WT CAP: 400 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		6838		6943		7043		7169		7379		7584		7794		7998		8208		MATERIAL: Maple	
2		7007		7112		7212		7338		7548		7753		7963		8167		8377		MOIS. BARR: Included	
3		7176		7281		7381		7507		7717		7922		8132		8336		8546			
4		7345		7450		7550		7676		7886		8091		8301		8505		8715			

Urethane arm caps are available in black, sable or dove.



32W841U SLEEP CHAIR, WIDE, URETHANE CAP


W: 36"		D: 33.5"		H: 33.25"		SW: 30"		SD: 21"		SH: 18"		AH: 25"		WT: 128 lb		COM: 6 yd		WT CAP: 400 lb			
ZONE		B/COM		C		D		E		F		G		H		I		J		GENERAL INFORMATION	
1		7359		7479		7593		7737		7977		8211		8451		8685		8925		MATERIAL: Maple	
2		7541		7661		7775		7919		8159		8393		8633		8867		9107		MOIS. BARR: Included	
3		7722		7842		7956		8100		8340		8574		8814		9048		9288			
4		7904		8024		8138		8282		8522		8756		8996		9230		9470			

Urethane arm caps are available in black, sable or dove.

Accessories

32800-LC CASTERS

\$528 WT: 5 lb



SS- Sleep surface 74"

CR- Clearance required to open sleep surface when placed against a wall is 10"

Specify:

- ☐ Product Number
- ☐ Wood Finish
- ☐ Urethane Cap Color
- ☐ Fabric Vendor, Pattern and Color

See pages 16 & 17 for material and finish options.